

ENG SHENG PRODUCTS SWITCHING POWER SUPPLIES MODEL LIST

MODEL NO	OUTPUT		DC CORD LENGTH	Level 4 (115/230Worse)		Compliant Level 4	Level 5 (115/230Worse)		Compliant Level 5	Compliant USA DOE STANDARD	Compliant NRCAN STANDARD	PSE Approved Input 100V 50Hz	SAFETY APPROVED
				Actual	Sdtandard		Actual	Sdtandard					
3A-021WU05	5V / 0.36A	1.8W	1500mm+50/-0(24A)	57.90%	55.29%	●	57.90%	60.50%		●		Below 10VA	UL/cUL/FCC
3A-021WU06	6V / 0.3A	1.8W	1500mm+50/-0(24A)	57.36%		●	57.36%	65.88%		●		Below 10VA	UL/cUL/FCC
3A-021WU07	7V / 0.24A	1.8W	1500mm+50/-0(24A)	57.36%		●	57.36%	65.88%		●		Below 10VA	UL/cUL/FCC
3A-021WU09	9V / 0.2A	1.8W	1500mm+50/-0(24A)	57.36%		●	57.36%	65.88%		●		Below 10VA	UL/cUL/FCC
3A-036WU/T/E/S05	5V/0.6A	3W	1530mm+/-100(22A)	65.30%	59.88%	●	67.40%	64.30%	●	●		Below 10VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-053WP05	5V / 1A	5W	USB Type	72.64%	64.48%	●	72.64%	68.17%	●	●	●	10-20VA	UL/cUL/FCC/GS/CE
3A-053WP06	6V / 0.83A	4.98W	USB Type	71.52%	64.44%	●	71.52%	72.25%				10-20VA	UL/cUL/FCC/GS/CE
3A-055WU/T/E05	5V / 1A	5W	1530mm+50/-0(22A)	69.45%	64.48%	●	69.45%	68.17%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-058WU/T/E03	3.3V / 1.5A	4.95W	1000mm+/-100(20A)	68.60%		●	68.60%	68.09%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E04	4V / 1.25A	5W	1000mm+/-100(20A)	69.10%		●	69.10%	68.17%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E05	5V / 1A	5W	1530mm+/-100(22A)	71.90%		●	71.90%	68.17%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E06	6V / 0.83A	4.98W	1530mm+/-100(22A)	72.80%		●	72.80%	68.14%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E09	9V / 0.55A	4.95W	1530mm+/-100(22A)	74.90%		●	74.90%	72.21%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E12	12V / 0.42A	5.04W	1530mm+/-100(24A)	75.70%		●	75.70%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E15	15V / 0.33A	4.95W	1530mm+/-100(24A)	76%		●	76.00%	72.21%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E18	18V / 0.28A	5.04W	1530mm+/-100(24A)	72.32%		●	77.10%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E24	24V / 0.21A	5.04W	1530mm+/-100(24A)	76.20%		●	76.20%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WU/T/E05B	5V/1A	5W	USB Type	72.85%	64.48%	●	72.85%	68.17%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-058WP03	3.3V / 1.5A	4.95W	1000mm+/-100(20A)	68.60%		●	68.60%	68.09%	◎	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP04	4V / 1.25A	5W	1000mm+/-100(20A)	69.10%		●	69.10%	68.17%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP05	5V / 1A	5W	1530mm+/-100(22A)	71.90%		●	71.90%	68.17%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP06	6V / 0.83A	4.98W	1530mm+/-100(22A)	72.80%		●	72.80%	68.14%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP09	9V / 0.55A	4.95W	1530mm+/-100(22A)	74.90%		●	74.90%	72.21%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP12	12V / 0.42A	5.04W	1530mm+/-100(24A)	75.70%		●	75.70%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP15	15V / 0.33A	4.95W	1530mm+/-100(24A)	76%		●	76.00%	72.21%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP18	18V / 0.28A	5.04W	1530mm+/-100(24A)	72.32%		●	77.10%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-058WP24	24V / 0.21A	5.04W	1530mm+/-100(24A)	76.20%		●	76.20%	72.32%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-066WP03	3.3V / 1.8A	5.94W	1000mm±100(20A)	68.21%		●	68.21%	69.46%		●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-066WP05	5V/1.2A	6W	1530mm±100(20A)	71.19%		●	71.19%	69.53%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-066WP06	6V/1A	6W	1530mm±100(22A)	70.43%	66.12%	●	70.43%	73.41%		●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-066WP09	9V/0.67A	6.03W	1530mm±100(22A)	74.43%		●	74.43%	73.44%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-066WP12	12V / 0.5A	6W	1530mm±100(22A)	74.67%		●	74.67%	73.41%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-066WP15	15V / 0.4A	6W	1530mm±100(22A)	74.66%		●	74.66%	73.41%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WU/T/E/S05B	5V / 1.2A	6W	USB Type	73.19%		●	73.19%	69.53%	●	●		10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S03	3.3V / 1.8A	5.94W	1000mm+/-100(20A)	69.95%		●	69.95%	69.46%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S04	4V / 1.5A	6W	1000mm+/-100(20A)	70.00%		●	70.00%	69.53%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S05	5V / 1.2A	6W	1530mm+/-100(22A)	72.30%		●	72.30%	69.53%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S06	6V / 1A	6W	1530mm+/-100(22A)	73.90%		●	73.90%	73.41%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S09	9V / 0.67A	6.03W	1530mm+/-100(22A)	75.80%		●	75.80%	73.44%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S12	12V / 0.5A	6W	1530mm+/-100(24A)	76.10%		●	76.10%	73.41%	●		●	10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S15	15V / 0.4A	6W	1530mm+/-100(24A)	77.20%		●	77.20%	73.41%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S18	18V / 0.34A	6.12W	1530mm+/-100(24A)	78.60%		●	78.60%	73.54%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI
3A-068WU/T/E/S24	24V / 0.25A	6W	1530mm+/-100(24A)	77.50%		●	77.50%	73.41%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI

3A-068WP03	3.3V / 1.8A	5.94W	1000mm+/-100(20A)	69.95%		●	69.95%	69.46%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP04	4V / 1.5A	6W	1000mm+/-100(20A)	70.00%		●	70.00%	69.53%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP05	5V / 1.2A	6W	1530mm+/-100(22A)	72.30%		●	72.30%	69.53%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP06	6V / 1A	6W	1530mm+/-100(22A)	73.90%		●	73.90%	73.41%	◎			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP09	9V / 0.67A	6.03W	1530mm+/-100(22A)	75.80%		●	75.80%	73.44%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP12	12V / 0.5A	6W	1530mm+/-100(24A)	76.10%		●	76.10%	73.41%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP15	15V / 0.4A	6W	1530mm+/-100(24A)	77.20%		●	77.20%	73.41%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP18	18V / 0.34A	6.12W	1530mm+/-100(24A)	78.60%		●	78.60%	73.54%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A-068WP24	24V / 0.25A	6W	1530mm+/-100(24A)	77.50%		●	77.50%	73.41%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/3C
3A10AWU05	5V/2A	10W	1000mm+100-0(20A)	76.01%		●	76.01%	73.36%	●	●		10-20VA	UL/cUL/FCC
3A10AWT05	5V/2A	10W	1000mm+100-0(20A)	76.01%		●	76.01%	73.36%	●	●		10-20VA	GS/CE
3A10AWE05	5V/2A	10W	1000mm+100-0(20A)	76.01%		●	76.01%	73.36%	●	●		10-20VA	GS/CE
3A-12DWU/T/E05	5V / 2A	10W	1530mm+100-0(20A)	74.82%		●	74.82%	73.36%	●			10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E09	9V / 1.5A	13.5W	1530mm+100-0(20A)	80.28%		●	80.28%	78.49%	●			20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E10	10V / 1.2A	12W	1530mm+100-0(22A)	79.58%		●	79.58%	77.75%	●			20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E12	12V / 1A	12W	1530mm+100-0(22A)	78.21%		●	78.21%	77.75%	●			20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E15	15V / 0.8A	12W	1530mm+100-0(22A)	78.65%		●	78.65%	77.75%	●			20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E18	18V / 0.67A	12.06W	1530mm+100-0(22A)	79.69%		●	79.68%	77.79%	●			20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-12DWU/T/E24	24V / 0.5A	12W	1530mm+100-0(22A)	78.82%		●	78.82%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-122WP05	5V / 2A	10W	1530mm+50-0(20A)	74.11%	70.72%	●	74.11%	73.36%	●	●	●	10-20VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/NRCAN
3A-122WP12	12V / 1A	12W	1530mm+50-0(22A)	78.26%	72.36%	●	78.26%	77.75%	◎	●		20-30VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-122WP24	24V/0.5A	12W	1500mm+50-0(24A)	78.82%	72.36%	●	78.82%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE
3A-122WP48	48V/0.25A	12W	1500mm+50-0(24A)	82.01%	72.36%	●	82.01%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE
3A-124DA05	5V/2A	10W	1530mm+50-0(22A)	77.26%		●	77.26%	73.36%	●	●		10-20VA	UL/cUL/FCC/GS/CE/3C
3A-124DA06	6V / 2A	12W	1530mm+50-0(20A)	79.22%		●	79.22%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-124DA09	9V / 1.33A	11.97	1530mm+50-0(20A)	79.22%		●	79.22%	77.73%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-124DA12	12V/1A	12W	1530mm+50-0(22A)	79.22%		●	79.22%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-124DA15	15V / 0.8A	12W	1530mm+50-0(20A)	79.22%		●	79.22%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-124DA18	18V / 0.67A	12.06W	1530mm+50-0(24A)	79.16%		●	79.16%	77.78%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-124DA24	24V / 0.5A	12W	1530mm+50-0(24A)	79.03%		●	79.03%	77.75%	●	●		20-30VA	UL/cUL/FCC/GS/CE/3C
3A-154WP05	5V / 2.6A	13W	1530mm+50-0(18A)	76.77%		●	76.77%	75.33%	●	●		20-30A	UL/cUL/FCC/GS/CE/RCM/BSMI/3C
3A-154WP06	6V / 2.5A	15W	1830mm+150-0(18A)	80.40%		●	80.40%	79.28%	●	●		20-30A	UL/cUL/FCC/GS/CE/RCM/BSMI
3A-154WP09	9V/1.7A	15.3W	1830mm+150-0(20A)	81.02%		●	81.02%	79.28%	●	●		20-30A	UL/cUL/FCC/GS/CE/RCM/BSMI
3A-163WP09	9V/ 1.7A	15.3W	1500mm+50-0(20A)	81.87%		●	81.87%	79.28%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-163WP12	12V / 1.25A	15W	1500mm+50-0(20A)	81.52%		●	81.52%	79.15%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM/METRO
3A-163WP15	15V / 1.0A	15W	1500mm+50-0(20A)	82.04%		●	82.04%	79.15%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-163WP18	18V / 0.84A	15.12	1500mm+50-0(20A)	82.35%		●	82.35%	79.15%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-163WP20	20V / 0.75A	15W	1500mm+50-0(20A)	81.95%		●	81.95%	79.15%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-163WP24	24V / 0.63A	15.12W	1500mm+50-0(20A)	81.63%		●	81.63%	79.15%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-165DA05	5V / 2.6A	13W	1530mm+50-0(18A)	77.26%		●	77.26%	75.33%	●	●		20-30A	UL/cUL/FCC/GS/CE/IRAM
3A-165DA12	12V / 1.25A	15W	1530mm+50-0(20A)	80.20%		●	80.20%	79.15%	●	●	●	20-30A	UL/cUL/FCC/GS/CE/IRAM
3A-182WP05	5V/3A	15W	1530mm+150-0(18A)	78.29%	78.29%	●	78.29%	76.41%	●	●		30-40VA	UL/cUL/FCC/GS/CE/IRAM
3A-182WP06	6V/3A	18W	1530mm+50-0(18A)	81.52%	81.52%	●	81.52%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/IRAM
3A-182WP09	9V/2A	18W	1530mm+50-0(20A)	82.84%	76.01%	●	82.84%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/IRAM
3A-182WU/T/E05	5V / 3.2A	18W	1500mm+50-0(18A)	78.09%		●	78.09%	77.77%	●	●		30-40VA	UL/cUL/FCC/GS/CE
3A-182WU/T/E06	6V / 3A	18W	1500mm+50-0(18A)	81.11%		●	81.11%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE
3A-182WU/T/E12	12V / 1.5A	18W	1500mm+50-0(20A)	82.62%		●	82.62%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE
3A-182WU/T/E15	15V / 1.2A	18W	1500mm+50-0(20A)	81.47%		●	81.47%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE

3A-183WP09	9V/ 2A	18W	1500mm+50/-0(20A)	81.82%		●	81.82%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/KC/BSMI/3C/NRCAN/IRAM
3A-183WP12	12V / 1.5A	18W	1500mm+50/-0(20A)	81.41%		●	81.41%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM/PSB
3A-183WP15	15V / 1.2A	18W	1500mm+50/-0(20A)	81.90%		●	81.90%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-183WP18	18V / 1A	18W	1500mm+50/-0(20A)	82.29%		●	82.29%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-183WP20	20V / 0.9A	18W	1500mm+50/-0(20A)	81.87%		●	81.87%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-183WP24	24V / 0.75A	18W	1500mm+50/-0(20A)	81.19%		●	81.19%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/BSMI/3C/NRCAN/IRAM
3A-186DA05	5V / 3A	15W	1000mm+50/-0(18A)	79.84%		●	79.84%	76.41%	●	●		30-40VA	UL/cUL/FCC/GS/CE/NRCAN
3A-186DA05A	5V/3.6A	18W	1000mm+50/-0(18A)	78.47%		●	78.47%	77.78%	●	●		30-40VA	UL/cUL/FCC/GS/CE/NRCAN
3A-186DA06	6V / 3A	18W	1000mm+50/-0(18A)	81.36%		●	81.36%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/NRCAN
3A-186DA12	12V / 1.5A	18W	1530mm+50/-0(20A)	81.80%		●	81.80%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/NRCAN
3A-186DA15	15V / 1.2A	18W	1530mm+50/-0(20A)	82.31%		●	82.31%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/NRCAN
3A-186DN/DB05	5V / 3A	15W	1000mm+50/-0(18A)	79.84%		●	79.84%	76.41%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-186DN/DB05A	5V/3.6A	18W	1000mm+50/-0(18A)	78.47%		●	78.47%	77.78%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-186DN/DB06	6V / 3A	18W	1000mm+50/-0(18A)	81.36%		●	81.36%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-186DN/DB12	12V / 1.5A	18W	1530mm+50/-0(20A)	81.80%		●	81.80%	80.29%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/NRCAN
3A-186DN/DB15	15V / 1.2A	18W	1530mm+50/-0(20A)	82.31%		●	82.31%	80.29%	●	●		30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-204DB05	5V/4A	20W	1200mm+100/-0(16A)	79.95%	76.96%	●	79.95%	78.56%	●	●	●	30-40VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/NRCAN
3A-242DA10	10V/2A	20W	1530±100mm(20A)	81.63&		●	81.63&	80.95%	◎	●		40-50VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-242DA12	12V/2A	24W	1530±100mm(20A)	82.96%		●	82.96%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/NRCAN/3C
3A-242DA15	15V/1.6A	24W	1530±100mm(20A)	82.76%		●	82.76%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-242DA16	16V/1.5A	24W	1530±100mm(20A)	84.04%		●	84.04%	82.10%	●	●	●	40-50VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS
3A-242DA24	24V/1A	24W	1530±100mm(22A)	82.85%		●	82.85%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/RCM/R-MEPS/NRCAN
3A-242DN/DB10	10V/2A	20W	1530±100mm(20A)	81.63&		●	81.63&	80.95%	◎	●		40-50VA	UL/cUL/FCC/GS/CE/BSMI/R-MEPS/NRCAN
3A-242DN/DB12	12V/2A	24W	1530±100mm(20A)	82.96%		●	82.96%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/BSMI/R-MEPS/NRCAN/3C
3A-242DN/DB15	15V/1.6A	24W	1530±100mm(20A)	82.76%		●	82.76%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/BSMI/R-MEPS/NRCAN
3A-242DN/DB16	16V/1.5A	24W	1530±100mm(20A)	84.04%		●	84.04%	82.10%	●	●	●	40-50VA	UL/cUL/FCC/GS/CE/BSMI/R-MEPS/NRCAN
3A-242DN/DB24	24V/1A	24W	1530±100mm(22A)	82.85%		●	82.85%	82.10%	◎	●	●	40-50VA	UL/cUL/FCC/GS/CE/BSMI/R-MEPS/NRCAN
3A-242WU10	10V/2A	20W	1530±100mm(20A)	81.01%		●	81.01%	80.95%	◎	●		40-50VA	UL/cUL/FCC
3A-242WU12	12V/2A	24W	1530±100mm(20A)	82.38%		●	82.38%	82.10%	◎	●		40-50VA	UL/cUL/FCC
3A-242WU15	15V/1.6A	24W	1530±100mm(20A)	82.41%		●	82.41%	82.10%	◎	●		40-50VA	UL/cUL/FCC
3A-242WU16	16V/1.5A	24W	1530±100mm(20A)	82.88%		●	82.88%	82.10%	◎	●		40-50VA	UL/cUL/FCC
3A-242WU24	24V/1A	24W	1530±100mm(20A)	84.10%		●	84.10%	82.10%	●	●		40-50VA	UL/cUL/FCC
3A-242WT10	10V/2A	20W	1530±100mm(20A)	81.01%		●	81.01%	80.95%	◎	●		40-50VA	GS/CE
3A-242WT12	12V/2A	24W	1530±100mm(20A)	82.38%		●	82.38%	82.10%	◎	●		40-50VA	GS/CE
3A-242WT15	15V/1.6A	24W	1530±100mm(20A)	82.41%		●	82.41%	82.10%	◎	●		40-50VA	GS/CE
3A-242WT16	16V/1.5A	24W	1530±100mm(20A)	82.88%		●	82.88%	82.10%	◎	●		40-50VA	GS/CE
3A-242WT24	24V/1A	24W	1530±100mm(20A)	84.10%		●	84.10%	82.10%	●	●		40-50VA	GS/CE
3A-242WE10	10V/2A	20W	1530±100mm(20A)	81.01%		●	81.01%	80.95%	◎	●		40-50VA	GS/CE
3A-242WE12	12V/2A	24W	1530±100mm(20A)	82.38%		●	82.38%	82.10%	◎	●		40-50VA	GS/CE
3A-242WE15	15V/1.6A	24W	1530±100mm(20A)	82.41%		●	82.41%	82.10%	◎	●		40-50VA	GS/CE
3A-242WE16	16V/1.5A	24W	1530±100mm(20A)	82.88%		●	82.88%	82.10%	◎	●		40-50VA	GS/CE
3A-242WE24	24V/1A	24W	1530±100mm(20A)	84.10%		●	84.10%	82.10%	●	●		40-50VA	GS/CE
3A-303WP12	12V / 2.5A	30W	1530mm+100/-0(18A)	85.89%		●	85.89%	83.49%	●	●		50-60VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-303WP12	12V / 2.5A	30W	3000mm+100/-0(18A)	85.68%		●	85.68%	83.49%	●	●		50-60VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-303WP19	19V/ 1.57A	29.83W	1530mm+100/-0(22A)	86.10%		●	86.10%	83.45%	●	●		50-60VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-303WP20	20V / 1.5A	30W	1530mm+100/-0(22A)	85.95%		●	85.95%	83.49%	●	●		50-60VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-303WP24	24V / 1.25A	30W	1530mm+100/-0(22A)	86.95%		●	86.95%	83.49%	●	●		50-60VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-304DA08	9/3.75A	30W	1530mm±1000(18A)	84.30%		●	84.30%	83.50%	◎	●		50-60VA	UL/cUL/FCC/GS/CE
3A-304DA09	9/3.34A	30.06W	1530mm±1000(18A)	84.30%		●	84.30%	83.50%	◎	●		50-60VA	UL/cUL/FCC/GS/CE

3A-304DA12	12V/2.5A	30W	1530mm±100(20A)	85.10%		●	85.10%	83.49%	●	●		50-60VA	UL/cUL/FCC/GS/CE
3A-401WP12	12V / 3A	36W	1500mm+100/-0(18A)	86.80%		●	86.80%	84.63%	●	●		70-80VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-401WP12	12V / 3A	36W	3000mm+100/-0(18A)	85.58%		●	85.58%	84.63%	●	●		70-80VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-401WP19	19V/ 2.1A	39.9W	1500mm+100/-0(18A)	88.10%		●	88.10%	85.30%	●	●		70-80VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-401WP20	20V / 2A	40W	1500mm+100/-0(20A)	88.10%		●	88.10%	85.30%	●	●		80-90VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-401WP24	24V / 1.67A	40.08W	1500mm+100/-0(18A)	88.10%		●	88.10%	85.30%	●	●		80-90VA	UL/cUL/FCC/GS/CE/RCM/BSMI/3C/ R-MEPS
3A-403DA12	12V/3.3A	39.6W	1530mm±100(18A)	85.78%		●	85.78%	85.30%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-403DA19	12V/2.1A	39.9W	1530mm±100(20A)	86.19%		●	86.19%	85.30%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-403DA20	12V/2.0A	40W	1530mm±100(20A)	86.19%		●	86.19%	85.42%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-403DA24	12V/1.7A	40.8W	1530mm±100(20A)	86.01%		●	86.01%	85.42%	●	●		80-90VA	UL/cUL/FCC/GS/CE
3A-403DA48	12V/0.85A	40.8W	1530mm±100(22A)	86.56%		●	86.56%	85.50%	●	●		80-90VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN08	8V / 3A	24W	1530mm±100(18A)	83.19%		●	83.19%	82.09%	●	●		50-60VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN09	9V / 3A	27W	1530mm±100(18A)	84.43%		●	84.43%	82.83%	●	●		50-60VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN12A	12V / 3A	36W	1530mm±100(18A)	86.38%		●	86.38%	85.23%	●	●		60-70VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN12	12V / 3.3A	39W	1530mm±100(18A)	86.38%		●	86.38%	85.23%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN15	15V / 2.7A	40.5W	1530mm±100(18A)	86.13%		●	86.13%	85.37%	◎	●		80-90VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN19	19V / 2.1A	39.90W	1530mm±100(20A)	86.13%		●	86.13%	85.28%	◎	●		70-80VA	UL/cUL/FCC/GS/CE
3A-407DA/DB/DN24	24V / 1.67A	40.08W	1530mm±100(20A)	88.77%		●	88.77%	85.30%	●	●		80-90VA	UL/cUL/FCC/GS/CE
3A-407DB/DN36	36V / 1.1A	39.6W	1530mm±100(22A)	89.32%		●	89.32%	85.23%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-407DB/DN48	48V / 0.83A	39.84	1530mm±100(22A)	89.74%		●	89.74%	85.27%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-505DB/DN05	5V / 6.5A	32.5W	1000mm+100/-0(16A)	82.67%		●	82.67%	82.21%	●	●		60-70VA	UL/cUL/FCC/GS/CE
3A-505DB/DN06	5.95V / 6A	35.7W	1000mm+100/-0(16A)	83.09%		●	83.09%	82.91%	●	●		60-70VA	UL/cUL/FCC/GS/CE
3A-505DB/DN09	9V / 4A	36W	1000mm+100/-0(16A)	85.99%		●	85.99%	84.63%	●	●		70-80VA	UL/cUL/FCC/GS/CE
3A-505DB/DN09A	9V/ 5A	45W	1000mm+100/-0(16A)	86.75%		●	86.75%	86.75%	●	●		90-100VA	UL/cUL/FCC/GS/CE
3A-505DB/DN12	12V / 4.2A	50.4W	1530mm+100/-0(16A)	87.68%		●	87.68%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE
3A-505DB/DN15	15V / 3.34A	50.1W	1530mm+100/-0(18A)	88.13%		●	88.13%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE
3A-505DB/DN19	19V / 2.64A	50.16W	1530mm+100/-0(18A)	88.51%		●	88.51%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE
3A-505DB/DN24	24V / 2.08A	49.92W	1530mm+150/-0(20A)	88.59%		●	88.59%	87%	●	●		90-100VA	UL/cUL/FCC/GS/CE
3A-602DA12	12V/5A	60W	1000mm+150/-0(18A)	87.52%	85.00%	●	87.52%	87%	◎	●	●	100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-602DA19	19V/ 3.42A	64.98W	1530mm+150/-0(18A)	88.30%		●	88.30%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-602DA24	24V/ 2.7A	64.8W	1530mm+150/-0(18A)	89.42%		●	89.42%	87%	●	●	●	100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-602DA48	48V/ 1.25A	60W	1530mm+150/-0(20A)	89.33%		●	89.33%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-602DN15	15V / 4A	60W	1530mm+100/-0(16A)	88.86%	85.00%	●	88.86%	87%	◎	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-602DN24	24V / 2.7A	64.8W	1530mm+150/-0(18A)	87.35%		●	87.35%	87%	◎	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-603DB/DN12	12V /5A	60W	1000mm+150/-0(16A)	87.97%	85.00%	●	87.97%	87%	●	●	●	100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-603DB/DN19	19V /3.42A	64.98W	1530mm+150/-0(18A)	89.31%		●	89.31%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-603DB/DN24	24V / 2.7A	64.8W	1530mm+150/-0(18A)	89.72%		●	89.72%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE/RCM
3A-903DA/DN/DB12	12V / 7.5A	90W	1000mm+50/-0(16A)	87.90%	85%	●	87.90%	87%	◎	●	●	100-200VA	UL/cUL/FCC
3A-903DA/DN/DB19	19V / 4.74A	90.06W	1830mm+50/-0(16A)	88.60%		●	88.60%	87%	●	●		100-200VA	UL/cUL/FCC
3A-903DA/DN/DB24	24V /3.75A	90W	1830mm+50/-0(18A)	88.02%		●	88.02%	87%	●	●		100-200VA	UL/cUL/FCC
3A-903DA/DN/DB48	48V /1.875A	90W	1830mm+50/-0(18A)	88.40%		●	88.40%	87%	●	●		100-200VA	UL/cUL/FCC
3A-1F3DN/DB12	12V /8.33A	99.6W	1000mm+50/-0(16A)	87.90%	85%	●	87.90%	87%	●	●		100-200VA	UL/cUL/FCC/GS/CE
3A-1F3DN/DB12	12V /10A	120W	1000mm+50/-0(18A)	87.54%		●	87.54%	87%	◎	●			UL/cUL/FCC/GS/CE
3A-1F3DN/DB15	15V /8A	120W	1000mm+50/-0(18A)	88.26%		●	88.26%	87%	●	●			UL/cUL/FCC/GS/CE
3A-1F3DN/DB16	16V /7.5A	120W	1000mm+50/-0(18A)	89.23%		●	89.23%	87%	●	●			UL/cUL/FCC/GS/CE
3A-1F3DN/DB18	18V /6.66A	120W	1000mm+50/-0(18A)	89.15%		●	89.15%	87%	●	●			UL/cUL/FCC/GS/CE
3A-1F3DN/DB19	19V /6.31A	120W	1000mm+50/-0(18A)	89.40%		●	89.40%	87%	●	●			UL/cUL/FCC/GS/CE
3A-1F3DN/B24	24V /6.25A	150W	1830mm+50/-0(18A)	87.67%		●	87.67%	87%	●	●			UL/cUL/FCC/GS/CE

3A-1C2DB12	12V / 8.33A	99.96W	1000mm+150/-0(16A)	86.24%	85%	●	86.24%	87%		●			UL/cUL/FCC/GS/CE
3A-1C2DB24	24V / 5A	120W	1830mm+150/-0(16A)	88.50%		●	88.50%		●	●			UL/cUL/FCC/GS/CE
3A-1C2DB48	48V / 2.5A	120W	1830mm+150/-0(18A)	88.11%		●	88.11%		●				UL/cUL/FCC/GS/CE